


KEYNOTES	
CODE	DESCRIPTION
CB:04	INTERNAL WALL AND CEILING FINISH, PREFINISHED METAL INSULATED PANEL (NEW PANELS) - COLOUR: COLORBOND SOUTHERLY
L01	CUSTOM ORB TO MATCH EXISTING FIXED TO STRUCTURE (INCLUDE ALL INTERNAL LININGS AND INSULATION AS PER EXISTING BUILD UP), COLOUR: SURFMIST, PROVIDE ALL ASSOCIATED COLOURMATCH FLASHINGS AT JUNCTIONS AND TERMINATIONS.
PA:05	PAINT - FACTORY PAINTED INTERIOR / EXTERIOR PAINT FOR EXPOSED STEEL FRAMING, COLOUR: BASALT, REFER TO FFE SCHEDULE

LEGEND



WALL ON GRID T - 2 HOUR FIRE RATING ZONE TO ALL STRUCTURAL STEEL, BRACING, CLEATS AND BRACKETS. EQUAL TO OR APPROVED SIMILAR, PROFINISH FIRE PROTECTION PROMAT CAFCO 300 VERMICULITE. INSTALL AS PER MANUFACTURERS RECOMMENDATIONS AND MINIMISE OVERSPRAY.

STRUCTURE/WALL/ROOF ZONE FROM GRID T TO MINIMUM DISTANCE PAST GRID S - 2 HOUR FIRE RATING ZONE TO ALL STRUCTURAL STEEL, BRACING, CLEATS AND BRACKETS (DOES NOT INCLUDE GIRTS AND PURLINS), EQUAL TO OR APPROVED SIMILAR, PROFINISH FIRE PROTECTION PROMAT CAFCO 300 VERMICULITE. INSTALL AS PER MANUFACTURERS RECOMMENDATIONS AND MINIMISE OVERSPRAY.

CEILING:
EXPOSED UNDERSIDE OF KINGSPAN ROOF EQUAL TO
KS1000RW TRAPEZOIDAL ROOF PANEL (R-VALUE 5.73)
FINISH: PA:04

EXPOSED ROOF FRAMING / STRUCTURE
REFER TO STRUCTURAL ENGINEER DRAWINGS FOR INFORMATION
FINISH: PA:05

FIXTURES & FITTINGS: REFER TO ENGINEERING DRAWINGS
FOR INFORMATION

CEILING NOTES


- ALL SETOUT TO BE CONFIRMED ON SITE.
- REFER TO DRAWING A700 FOR WET AREA REFLECTED CEILING PLAN
- SYMBOL LEGEND - REFER TO ENGINEERING DRAWINGS FOR RESPECTIVE EQUIPMENT, FIXTURE LEGENDS & NOTES. INDICATED ON RCP FOR COORDINATION ONLY.
- REFER TO SERVICES DOCUMENTATION FOR DETAILS OF LOCATION, SIZE AND QUANTITY OF ANY SERVICES.
- ALL GRILLES, SHADOW ANGLES AND OTHER TRIMS ARE TO BE PREFINISHED TO MATCH CEILING COLOUR
- FORM ALL NEW OPENINGS AND SUPPORTS FOR MECHANICAL AND ELECTRICAL FITTINGS AND ACCESS PANELS AS REQUIRED (REFER TO RELEVANT DRAWINGS)
- ACCESS PANEL QUANTITIES AND LOCATIONS TO BE COORDINATED WITH SERVICES DOCUMENTATION AND CONFIRMED BY SUB CONTRACTOR WITH COORDINATED SHOP DRAWINGS.
- CONTRACTOR TO ENSURE CEILING FRAMING IS ADEQUATE TO SUPPORT IMPOSED ADDITIONAL LOADS OF EQUIPMENT AND FIXTURES AND CERTIFIED BY A STRUCTURAL ENGINEER.
- CONTROL JOINTS IN FLUSHED PLASTERBOARD ARE TO BE IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.

1 REFLECTED CEILING PLAN - EXTENSION

SCALE 1:100

Rev	Description	Checked	Approved	Date
B	UPDATED TENDER DOCUMENTATION	JW	DB	16.07.24
A	FOR TENDER REVIEW	JW	DB	08.05.24
Drafting Check D. BELL				
Reg Architect Checker				
Design Check D. BELL				
State and Reg No. -				

0 1000 2000 3000 4000 5000mm
SCALE 1:100 AT ORIGINAL SIZE



Level 7, 16 Marcus Clarke Street
Canberra ACT 2601 Australia
T 61 2 6113 3200 F 61 2 6113 3299
E cbrnml@ghd.com W www.ghd.com/design
Conditions of Use: This document may only be used by GHD Design's client (and any other person who GHD Design has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.



Nominated Architects:
Jane Cassidy ACT 1051
Russell Pittz ACT 951

Project No.
12595320

Client	NATIONAL LIBRARY OF AUSTRALIA
Project	REPOSITORY EXTENSION
Status	

Drawing Title	REFLECTED CEILING PLAN - GROUND FLOOR*
Drawing No.	12595320-A250

Size	A1
Rev	B